



Exploring spatially-aware cross-device interaction techniques for mobile collaborative sensemaking

Giuseppe Desolda^a, Carmelo Ardito^a, Hans-Christian Jetter^b

^a*Dipartimento di Informatica, Università degli Studi di Bari Aldo Moro, Via Orabona, 4 – 70125 – Bari, Italy*

{carmelo.ardito, paolo.buono, giuseppe.desolda}@uniba.it

^b*University of Applied Sciences Upper Austria, Campus Hagenberg Softwarepark 11 4232 – Linz, Austria*

hans-christian.jetter@fh-hagenberg.at

Abstract

Collaborative decision making process is traditionally supported by multi-user interfaces, such as large multi-touch screens or interactive tabletops for accessing, relating and comparing different data sources. Since such multi-user interfaces are typically expensive and unavailable outside dedicated environments (e.g. labs, smart rooms), recent works have proposed “bring your own device” approaches that enable users to join their mobile devices (e.g. smart phones, tablets) in an ad-hoc manner to temporarily create multi-user cross-device systems. Such approaches can be enabled by spatially-aware cross-device interactions that have only been explored for simple operations. We conducted three design explorations involving a total number of 65 users in 18 groups, in order to propose a composition paradigm offering three interaction techniques that allow the execution of more complex operations, such as forwarding to multiple devices queries or query results, or aggregating and visualizing search results across device boundaries.

© 2012 Published by Elsevier Ltd. Selection and/or peer-review under responsibility of Global Science and Technology Forum Pte Ltd

"Keywords: Spatially-aware Devices, Interaction Paradigm, User studies."

1. Introduction and Motivation

For more than two decades, cross-device systems have been envisioned to support people during co-located collaborative group work [Biehl and Bailey 2004; Weiser 1991]. Most proposals involve different types of devices and often include large interactive displays. Since such multi-user interfaces are typically expensive and unavailable outside dedicated environments (e.g., labs, smart rooms), recent works have proposed “bring your own device” approaches that enable users temporarily create multi-user cross-device systems by joining their mobile devices (e.g., smart phones, tablets) in an ad-hoc manner [Ardito et al. 2015; Hamilton and Wigdor 2014; Lucero et al. 2011; Marquardt et al. 2012; Rädle et al. 2014; Rädle et al. 2015]. Designs for mobile cross-device interactions have been already proposed, but they mostly support simple

tasks, such as file transfer (e.g., photos, videos, contacts) across devices [Chen et al. 2013; Hamilton and Wigdor 2014; Hinckley 2003b; Lucero et al. 2011; Lucero et al. 2010; Rädle et al. 2015; Yang and Wigdor 2014].

With respect to such works, we aim to support complex information seeking and sensemaking tasks that require the combination, by multiple group members, of data from different data sources (e.g., web sites or apps displayed on different mobile devices). In the most general sense, sensemaking is defined as behavior, both internal (i.e. cognitive) and external (i.e. procedural), which allows the individual to construct and design his/her movement through time-space [Dervin 1983]. More specifically, sensemaking is the ability or attempt to make sense of an ambiguous situation; it is the process of creating, in conditions of high complexity or uncertainty, situational awareness and understanding in order to facilitate make decisions. Let us suppose, for example, that a group of friends meet to plan a one-month summer holiday in London. During the meeting, they want rent a house close to downtown, to a metro or bus station, and in a non-polluted area. They decide to exploit their PCs, tablets and smartphones to search for such an accommodation. This is an example of sensemaking scenario. It is typically supported by mashup tools, i.e., data-centric applications that allow users to compose easily heterogeneous resources, thus creating a new web application to perform data exploration activities that exceed one-time interactions [Aghaee et al. 2012; Daniel and Matera 2014; Desolda et al. 2015; Namoun et al. 2010]. However, mashup tools are not conceived for tasks performed by co-located groups of people, but rather single users [Aghaee and Pautasso 2014; Cappiello et al. 2011; Desolda et al. 2015] or users that collaborate remotely [Ardito et al. 2014a; Jung 2012]. Indeed, such tools still offer little or no support to combining data or Web search results from multiple devices. Furthermore, mobile devices, operating systems and apps are not designed for user experiences which seamlessly cross devices in such a sensemaking scenario. Thus people in co-located groups are forced to tedious, time-consuming and error-prone verbal or written exchange of information about performed queries and retrieved results [Hamilton and Wigdor 2014]. In order to work across device boundaries, spatially-aware cross-device interactions have proven to be more usable and less demanding than spatially-agnostic approaches. In fact, by exploiting space, users can bring down to workable time and memory demand of executed tasks thus increasing reliability and number of jobs handled at once [Kirsh 1995]. However, until now spatially-aware cross-device interactions have only been explored for comparably simple operations such as object movement across devices or stitching displays and not for more complex operations, such as forwarding queries or query results to multiple devices, or aggregating and visualizing search results across device boundaries.

The main goal of our research is *identifying a data composition paradigm for supporting real and useful sensemaking collaborative tasks*, based on spatial-aware cross-device techniques, i.e., touch gestures and physical arrangement of devices on a desk. This article, in particular, proposes a set of spatial-aware cross-device techniques that allow users to formulate their queries and reconfigure the data flow between different mobile devices by rearranging them on the physical space of a desk and performing cross-device touch gestures on their display. The design proposals consider the desk as a *physical workspace* in which data sources are materialized in space by the mobile devices that display them. Data sources can be *flexibly* combined by moving them around on the desk or by performing touch gestures to quickly express the *situational* information needs of the group. In the studies reported in this article, the design proposals have been enabled by the HuddleLamp technology [Rädle et al. 2014]. Other technologies would be appropriate, but they typically require the installation of specific hardware in the environment or on the devices (e.g., [Reetz et al. 2006; Voids et al. 2005]), as well as the installation of software to manage the registration of devices [Hamilton and Wigdor 2014] or to offer specific functionality [Dachselt and Buchholz 2009]). Thanks to HuddleLamp, no hardware or software needs to be installed on the mobile device, since users have just to open a Web site.

1.1. Contributions

This work falls into two, so far isolated, research areas: mashup and cross-device interaction. In particular, from the mashup perspective, it proposes a solution to support co-located collaborative creation of mashup. From the cross-device interaction perspective, it presents composition techniques to combine spatial-aware mobile devices to foster sensemaking activities. Thus, this work advances the state-of-the-art by proposing cross-device interaction techniques enabled by touch gestures and arrangement of mobile devices on a desk to compose mobile device data sources.

The contributions of this article therefore concern the following issues:

- *Data Composition paradigm.* With the help of end users involved in an elicitation study, we identified the mental model of end users performing data composition operations by using spatial-aware cross-device techniques with their mobile devices.
- *A set of spatial-aware cross-device techniques for sensemaking tasks.* Starting from the results of the elicitation study, we designed, implemented and evaluated three novel spatial-aware cross-device techniques to combine mobile device data sources. Such techniques are based on data source composition and manipulation operations considered useful by users of mashup tools, which are often used in sensemaking activities.
- *Collaborative mobile mashup.* The proposed composition paradigm and the implemented techniques can be considered as a solution to support co-located collaborative creation of mashups on users' own mobile devices, a solution scarcely investigated until now. Thanks to the proposed techniques, our work addresses this lack by allowing a group of co-located users to compose mobile app content.
- *Design indications.* During the three design explorations, we collected several suggestions for spatial-aware cross-device interactions. There were fundamental and far reaching themes that were repeatedly brought up by participants or occurred during the studies. We summarize these design indications by proposing two themes and discuss their implications for design and future research.

1.2. Article organization

The paper is organized as follows. Section 2 introduces some background concepts about mashup and cross-device interaction techniques. Section 3 clarifies the rationale of our research. Section 3 reports the study performed to elicit the spatial-aware cross-device techniques. Section 4 illustrates the spatial-aware cross-device techniques we designed starting from the elicitation study results. Section 5 presents technical details of a running system that implements the elicited techniques. Section 6 describes a formative usability evaluation of the elicited techniques, while Section 7 illustrates a comparative evaluation, where system versions with and without the elicited techniques were compared. Section 8 sketches some design implications. Finally, Section 9 draws our conclusions and outlines our future work.

2. Related Work

This section briefly illustrates related works in the two main areas addressed by the research reported in this paper.

2.1. Collaborative Mashup

Mashups are data-centric Web applications that assist unskilled users in easily composing heterogeneous resources [Daniel and Matera 2014]. In the last 25 years, different mashup tools have been proposed, but almost all support single user interaction. One of the pioneers was *Yahoo!Pipes* [Pruett 2007], a visual editor that provided access to services and operators that could be combined into a canvas pane through drag and drop actions. In particular, services and operators were shown as visual modules that users could link by means of ‘pipes’. Moreover, *Yahoo!Pipes* provided a useful debugger for the users to inspect Pipe output at various stages in the Pipe. The composition results could be exported in other Web sites. A completely different approach has been implemented in *DashMash*, a Web mashup platform that, by means of an event-driven paradigm and without distinction between editing and execution time, allows the creation and the synchronization of Web services [Cappiello et al. 2011]. Another composition paradigm has been introduced in *NaturalMash*, a tool that allows users to indicate, using a natural language, what services they want into their application and how to orchestrate them [Aghaee and Pautasso 2014]. In order to ensure the accuracy of the queries, *NaturalMash* constraints the user to using a limited vocabulary and grammar. Another mashup platform, *EFESTO*, has been designed to enable end users to explore information by creating interactive workspaces [Desolda et al. 2015]: within a Web composition environment, end users dynamically create “live mashups” where relevant information, extracted from heterogeneous data sources – including the Linked Open Data [Desolda 2015] – is integrated according to visually defined queries. With respect to other mashup platforms, *EFESTO* privileges visual composition paradigms that accommodate the end-user mental model for a lightweight data integration within Web workspaces [Aghaee and Pautasso 2014; Cappiello et al. 2011].

Despite a wide proliferation of mashup tools, only some of them allow remote collaboration [Ardito et al. 2014a; Jung 2012] or distribution of the mashup execution across different devices [Husmann et al. 2014; Kovachev et al. 2013]. To the best of our knowledge, no previous works have investigated the benefits of collaboration of co-located users in performing mashup. This work aims to cover this lack by allowing a group of co-located users to mashing-up mobile app content by moving mobile devices into different positions on a desk and by performing touch gestures on their displays.

2.2. Cross-device Interaction & Sensemaking

Over the last years, several solutions for cross-device interaction have been proposed. One of the most important aspects that characterize such solutions is the type of devices involved in the interaction. In most cases, just mobile devices are involved [Chen et al. 2013; Hamilton and Wigdor 2014; Hinckley et al. 2004; Lucero et al. 2011; Rädle et al. 2015], but more complex settings also allow cross-device interaction between PCs, mobile devices and large displays in hybrid environments [Andrews et al. 2010; Chung et al. 2014; Reetz et al. 2006; Rekimoto 2004; Rekimoto and Saitoh 1999; Seyed et al. 2012; Volda et al. 2005; Wobbrock et al. 2009].

Another important characteristic is the method used to set-up and start the communication among the devices. Different approaches have been investigated, for example using a master device [Chung et al. 2014; Hamilton and Wigdor 2014], bumping devices [Hinckley 2003a; Hinckley 2003b; Lucero et al. 2011], exploiting NFC technology [Hardy and Rukzio 2008], attaching QR codes to the devices that are scanned and recognized by the camera of the other devices [Alt et al. 2013], tracking devices with a camera mounted on the ceiling [Reetz et al. 2006; Rekimoto and Saitoh 1999] and performing synchronous gestures [Chen et al. 2013; Hinckley et al. 2004; Rekimoto 2004]. Although these solutions enable cross-device interactions, they do not foster a natural interaction and are not adequately blended in the environments. For example: the use of

a master device compels users to execute the procedure for adding and removing devices whenever they need to establish/remove links between devices [Chung et al. 2014; Hamilton and Wigdor 2014]; QR codes have to be attached to the device [Alt et al. 2013]; NFC technology is currently not widespread. Few works investigated the problem of spontaneous device binding from a user perspective. A recent method, *EasyGroups*, has been designed during a guessability study with non-technical participants to find out how people connect devices in a group configuration. A leader creates the group by starting the application and then adds other persons into the group by bringing their devices to touch. Another recent work elicited the mental model of users that need to establish connections between devices [Chong and Gellersen 2011]. Authors elicited device association actions from non-technical users, collecting 37 different device combinations. The results revealed that there is no a single category that dominates what people perceive as a suitable spontaneous action for associating devices. Such combinations were grouped into five dominant categories, and useful indications were provided to designers.

For our system, we adopted the *HuddleLamp* technology [Rädle et al. 2014] because of its flexibility, technical equipment simplicity and features for enabling cross-device interactions. HuddleLamp makes it possible to connect devices that have no prior knowledge of each other in a fast and easy manner. Indeed, if the process for connecting devices is complicated or tedious, the users may lose interest in using multi-device applications. In our proposal, connections between devices are established by simply placing/removing devices on/from a desk. In order to track the devices on the table and make them aware of the locations of all the others, HuddleLamp requires the installation of a desk lamp to hold up a commercial 3D RGB camera. There is no need that the mobile devices are equipped with additional custom-built sensing hardware or markers.

Another characterizing aspect of cross-device interaction concerns the supported tasks. Cross-device techniques typically permit simple tasks, for example transferring objects (e.g., photos [Lucero et al. 2011; Lucero et al. 2010], data items [Hamilton and Wigdor 2014; Rädle et al. 2015] or documents [Hinckley 2003a]) across devices. Another typical simple task is the distribution of parts of Web applications across multiple displays [Cappiello et al. 2011; Chen et al. 2013; Yang and Wigdor 2014]. However, the full potential of cross-device interaction could be still undiscovered, since few works have addressed complex sensemaking tasks. Typically, sensemaking processes are supported by complex systems that involve PCs or large displays (e.g., see [Andrews et al. 2010]), while few systems exploit only mobile devices. An example is *VisPorter*, a visual analytic system enabling seamless cross-device activity through lightweight touch interactions, and that allows multiple large displays and mobile devices to be fluidly connected for sensemaking [Chung et al. 2014]. Another system exploiting mobile devices is *Conductor*, which implements a set of interaction techniques designed to enable single user, cross-device interaction supporting information sharing, task chaining across devices, and session management [Hamilton and Wigdor 2014]. Another example of mobile-device based system supporting sensemaking is *Co-Curator*, a mobile app that enables collection and sharing of information in face-to-face meetings during the early stages of collaborative design projects [Porcheron et al. 2016]. By using *Co-Curator*, users first collect their materials presented on a personal timeline on their mobile devices; later, they share with the group the personal timelines and engage in a collaborative task.

Differently from the previous cross-device sensemaking systems, the techniques we propose in this article support *multiple interaction of group of users* (instead of single user, e.g., [Hamilton and Wigdor 2014]) by exploiting the *spatial-awareness* capabilities provided by HuddleLamp (or similar technologies) to mobile devices. The most important peculiarity of our proposal is the spatial-aware feature, since cross-device interaction is more usable and less demanding than spatially-agnostic approaches. Indeed, by including the space dimension in the interaction mechanisms, users can bring down to workable time and memory demand

the execution of sensemaking tasks, thus increasing reliability and number of tasks managed at once [Kirsh 1995].

3. Elicitation study

Given the lack of approaches for complex information seeking and sensemaking tasks that require group of users to combine data from different data sources, we wanted to understand how users would perform some data composition operations by interacting with their mobile devices using spatial-aware cross-device techniques. Thus, we carried out an elicitation study for observing and getting hints on how users would perform such data composition operations by means of touch gestures and/or arrangement of devices on a desk.

To identify a set of proper data composition operations that cover the most significant and common data manipulation tasks, we took inspiration from the data source composition and manipulation operations implemented in mashup tools [Daniel and Matera 2014], which are typically used in sensemaking activities (see, for example, [Ardito et al. 2014b; Daniel and Matera 2014]). In technical terms, the most important operations are: *union* of data sources, *join* of data sources, and *data visualization*. The union operation produces one dataset obtained by combining the datasets returned by two or more compatible data sources. The join operation, also called ‘merge’ in many mashup tools [Daniel and Matera 2014], defines a data synchronization schema between two data sources A and B, so that B is queried by using an instance of A. This synchronization is achieved by linking an attribute of A with the input of B. Finally, the data visualization operation shows the dataset returned by a data source according to a visualization technique. We are aware that other operations can be implemented. At this stage of our research, we aimed to consolidate a ground of techniques covering the most important and frequent data manipulation tasks. As future work, we plan to extend our paradigm by designing techniques for operations like selecting, filtering, sorting.

The following three collaborative sensemaking tasks, involving the union, join and data visualization operations, respectively, drove the elicitation study:

- T1) querying multiple data sources, each displayed on a different device, typing a keyword just once on one device;
- T2) querying the data source on the device B with portions of text displayed on the device A;
- T3) visualizing on a target device T the data coming from a source device S; the visualization offered on T (e.g., map) could be different from that on S (e.g., list of items).

We expected that users would perform the tasks by interacting with the user interface widgets, e.g., buttons or menus, (*Spatial-Agnostic Interaction* as defined in [Hamilton and Wigdor 2014]), by changing the arrangement of the mobile devices on the desk (*Spatial-Aware Interaction* [Biehl and Bailey 2004; Dachselt and Buchholz 2009; Rädle et al. 2015; Reetz et al. 2006; Volda et al. 2005]), and by performing gestures on the user interface and/or with the device itself.

To facilitate the collection of users’ ideas and to better understand their mental model about the addressed tasks, a formal elicitation study like the one described in [Wobbrock et al. 2009] could not be appropriated. We still followed a rigorous procedure during elicitation, with carefully selected materials, questionnaires, and tasks. According to [Morris et al. 2014], in order to collect as much as possible significant ideas properly discussed among participants, we required them to work in groups, rather than individually. More reflection and discussion is expected, as well as the elicitation of more diverse opinions about the possible designs, when participants are enabled to build upon one another’s ideas and asked to decide on a single preferred design solution. We organized focus groups in which small groups of participants engaged in the elicitation exercise jointly. Similar to [Marquardt et al. 2012; Volda et al. 2005], our sessions contained an element of

co-creation beyond pure elicitation. In order to avoid participants being forced to “tell what they don’t have to tell”, we did not require groups to produce a minimum number of proposals for performing each operation. Participants were encouraged to demonstrate their ideas by using physical paper prototypes, pens and papers, so that they would be stimulated to considering the capabilities and affordances of mobile device form factors (see Figure 1). As described later, this study organization enabled participants to provide novel, elaborate indications, including some details on physical input and visual output. The study protocol was preliminarily assessed by involving two groups of four users each.

3.1. Participants

The elicitation study involved a total of 25 participants (6 female), randomly divided into 5 groups, aged between 20-28 years ($\bar{x} = 22.6$, $SD = 1.95$). Participants were recruited from the third-year students of the bachelor degree course in Computer Science. We involved Computer Science students in the elicitation study because they had acquired some experience in system design thanks to the Human-Computer Interaction course they attended in the previous semester. However, in order to avoid or reduce the bias of previous knowledge of similar tools, we recruited participants who were familiar with smartphones and tablets, but they had no experience with mashup of information coming from different web services and cross-device techniques.



Figure 1. A group discussing and working with paper prototypes during the elicitation study.

3.2. Task scenarios

In order to facilitate the participants’ understanding of the usage context, we adopted a scenario-based design. Indeed, even if our participants had some experience in system design, we could not expect that they

would be able to come out with a complete and successful solution. As underlined by [Rosson and Carroll 2003], designers need to be constrained during the design, and scenarios allow them to be more focused on perspective users and their needs. According to our previous experience in conducting elicitation studies, we assume that it would have been successful to guide participants by proposing simple scenarios of increasing complexity. In this way, participants are more focused on discussing a specific topic.

We proposed three scenarios, each addressing one task. A fourth scenario was more complex and required the execution of both tasks T1 and T3. The aim of this last scenario was to bring out inconsistencies in the proposed solutions: indeed, as emerged during the pilot study, it happens that the same interaction technique is proposed for different operations.

In the first scenario, addressing the task T1 (for the union operation), the participants had to find videos of the “U2” rock band by querying the sites YouTube, Vimeo and Dailymotion, each displayed on a different device. They had to execute the query just once on one of the three devices, avoiding re-typing the same query on the other devices.

In the second scenario, addressing the task T2 (for the join operation), the participants were asked to use the Last.fm site on a smartphone to search for upcoming concerts in London. When a concert was chosen, they had to find details (e.g., recordings, photos) about the concert singer on Wikipedia, which was available on a second smartphone.

In the third scenario, addressing the task T3 (for the data visualization operation), the participants interacted with the Zoopla site to look for a property in different districts of London. Zoopla provided a list of properties and the participants had to visualize them as pins on Google Maps available on a tablet.

Finally, the fourth scenario, addressing both T1 and T3 tasks, required looking for an apartment in different districts of London using Zoopla. Further information on pollution and public transport in those districts, retrieved by using the same keywords (e.g., London Stratford) and visualized by two sites available on two further smartphones, had to be taken into account (T1). Finally, apartments, air pollution sensory-stations and bus/metro stations had to be visualized on Google Maps displayed on a tablet (T3).

3.3. Procedure

The study was performed by two HCI researchers on two consecutive days in a university laboratory. It consisted of 5 sessions, one for each group. Three sessions took place the first day. In every session, the group sat around a table and was provided with mobile device paper prototypes enabling the task scenarios and sheets of paper and markers for sketching their suggestions. Each participant was also provided with a sheet of paper reporting the four scenarios.

An HCI researcher gave a 10-minute presentation to explain the motivation for composing data coming from different sources. In order to illustrate and make participants more familiar with spatially-aware interaction, the researcher briefly described HuddleLamp and showed a 3-minute video demonstrating some examples of HuddleLamp usage. To avoid any bias in the participants’ proposals, possible solutions for composing data sources were not shown. After reading aloud and commenting the first scenario, the researcher asked participants how they would perform the scenario activities. He also specified that they were completely free to propose any data source composition idea, with or without spatial-aware features. The researcher stimulated participants to elaborate new interaction ideas, which were also expressed by sketching new paper prototypes or demonstrated by using the available paper prototypes (e.g., a swipe gesture from one device prototype to another). The researcher also encouraged the discussion on positive and negative aspects of the suggested solutions. Before moving to the next scenario, the group had to agree on the interaction techniques they were proposing for carrying out the assigned composition task. The same procedure was

repeated for the other three scenarios. The second researcher took notes. Each session was also audio-video taped. Each session lasted on average 70 minutes.

At the end of the session, participants filled in a questionnaire composed of 19 questions. Eleven questions aimed at collecting participant's demographic data, and determining their expertise with mobile devices, programming, data retrieval and composition. Four questions investigated participants' understanding of and comfort with the proposed tasks. Two questions addressed the main dis/advantages of the proposed interaction techniques. The last two questions addressed the pros and cons of the spatial-aware feature for mobile-devices.

3.4. Data collection

The data analyzed in the study were collected through: 1) a set of notes taken by the researchers in the study sessions; 2) the audio/video recordings of participants' discussions; 3) the sketches drawn during the sessions; 4) the answers participants gave to the questionnaire.

The set of notes collected in the field was substantially extended by video-analysis. The two researchers iteratively transcribed the videos, literally noting down all intelligible speech. Each researcher independently produced the transcripts, and the results were double-checked for reliability, leading to an initial value of 90%. Discrepancies were solved by discussion. The answers to the open questions of the questionnaire were analyzed through the affinity diagram technique proposed in [Preece et al. 2015].

3.5. Results from the scenario discussion

A triangulated analysis of the researchers' notes, audios of participants' discussions, groups' sketches and videos leads to the following description of the participants' proposal for performing the tasks entailed in the scenarios.

Task 1 (it asked participants how to query multiple data sources, each displayed on a different device, typing a keyword just once on one of the devices): all the five groups involved in the elicitation study agreed that *spatial proximity*, i.e., putting devices close to create a *physical group*, was the best solution for accomplishing this task. In fact, the participants proposed to: 1) put the devices close to each other in order to create a group and then, 2) query one of them to automatically *broadcast* the same query to the other devices. A device is possibly added/removed from a group by taking it close/far to/from the group. Wanting to use the words of one participant, "*an idea is that, when I'm executing a search with a keyword on a device, the other devices that are close to my own simultaneously perform a search by using the same keyword*". As a further solution, similar to the synchronous gesture proposed in [Hinckley 2003a], two groups proposed *device bumping*, i.e., colliding devices to create a virtual group that can be queried as in the previous case.

Task 2 (it required participants to query a data source available on a device B with portions of text displayed on a device A): all the groups suggested solutions that bring to *directional flick* as the most suitable technique to express that a piece of text has to be used for querying the data source displayed on another device. Directional flick is a spatial-aware gesture performed on the source device display for "launching" the selected portion of text in the direction of the target device, where it will be automatically used for querying the displayed source (an interaction similar to the gesture described in [Reetz et al. 2006]). For example, a participant said "*While I'm searching a musical event on Last.fm running on a tablet, I can open Wikipedia on another device and search singer information on Wikipedia by launching the singer name from the Last.fm tablet to the Wikipedia device, without typing the singer name on Wikipedia*". Two groups also suggested that this task could be performed by touching, for a couple of seconds, a piece of text to activate a *contextual*

menu, where they can choose the target device from a list of the devices on the desk. This alternative solution is a spatial-agnostic interaction similar to the one proposed in [Hamilton and Wigdor 2014].

Task 3 (it requested participants how to visualize on a target device T the data coming from another source device S): this was the most debated task. In the end, Group 1 decided for the bumping between T and S, a synchronous gesture as the one proposed in [Hinckley 2003a]. Groups 2 and 3 opted for a button on the target device to open a popup window where the user can choose the source device among the ones on the desk. For example, a participant said “*After opening Zoopla on a tablet, I open Google Maps on another device and here I tap a button to open a window that lists all the devices on the desk. From this list I can choose a device providing data visualizable on Google Maps, for example Zoopla, to plot the Zoopla houses as pins on the map*”. Group 4 and 5 decided for spatial proximity, but this solution was already used for the *Query Broadcasting* task. Such an inconsistency clearly emerged during Scenario 4, which put together Task 1 and Task 3.

3.6. Results from the online questionnaire data

At the end of each session, participants filled in an online questionnaire including 19 questions. We already summarized in Section 3.1 the results obtained from the eleven questions regarding participants’ demographic data and expertise with mobile devices, programming, data retrieval and composition. The analysis of the four questions on the participants’ understanding of the study design revealed that the four tasks were clearly understood by the participants, who did not have difficulties in realizing what they needed to do during the study. Indeed, each question consisted of a Likert scale that ranged from 1 to 7 (1 very easy – 7 very difficult) and the results revealed a good understating of the four tasks (T1 \bar{x} = 2.12, SD = 1.36; T2 \bar{x} = 2.4, SD = 1.44; T3 \bar{x} = 2.32, SD = 1.41; T4 \bar{x} = 2.8, SD = 1.5).

The last four questions regarded respectively the main dis/advantages of the proposed interaction techniques (2 questions) and the pros and cons of the spatial-aware features for mobile devices (2 questions). Regarding the advantages of the proposed solutions, in general participants thought that the proposed gestures, if properly designed, would be perceived as natural and powerful and would adequately support the manipulation of a large amount of data- a task typically performed by technical users with more complex tools. In addition, they said that the design of user interfaces would benefit from replacing buttons, menus and other user interface components with spatial-aware cross-device techniques. Lastly, they highlighted that collaboration aspects represent an added value, because multiple users can actively collaborate in sensemaking activities by just putting his/her own device on the desk, thus being quickly included in the group discussion.

Regarding the disadvantages of the proposed techniques, we collected important hints to be taken into account in the design of the spatial-aware cross-device techniques. First, the cognitive load due to gesture memorability and ambiguity has to be considered. Then, users have to be supported during the join operation between devices both in selecting the right target device and in becoming aware that his/her own device has been joined by another one. Lastly, the implementation of mechanisms to freeze the synchronization between devices was suggested, so that devices can continue to be part of a group even if removed from the desk.

Regarding the spatial-aware functionality introduced by technologies like HuddeLamp, the participants found it is an interesting solution to easily establish connections between different devices, as well as an excellent support to collaborative co-located tasks. Regarding the disadvantages, the physical space of the desk is considered a potential limitation because it restricts the number of devices that can be used. Furthermore, users are constrained to stay around the desk to accomplish their tasks.

4. Spatial-aware cross-device techniques

Starting from the results of the elicitation study, two interaction designers of our research group performed a design workshop, whose goal was to design a spatial-aware cross-device (SACD) technique for accomplishing each of the three tasks related to the most common data composition and manipulation operations, i.e., *union* of data sources, *join* of data sources, and *data visualization* [Daniel and Matera 2014]. In order to overcome the high level of abstraction of the elicitation study results, designers also exploited both their expertise and literature evidences. For example, for the union operation (i.e., Task 1) many participants suggested to put close all the involved devices to create a physical group. In this case, as well as in other cases, the participants did not provide details of how to implement the techniques in the prototype. For example, they did not reflect on which should be the suitable distance between devices to consider them as a group, or if the users should receive a feedback to inform if the devices are part of a group or not. In the next sub-sections, we describe how we bridged the lack of details to implement the final prototype. Furthermore, a pilot study involving 6 participants, divided into two groups of three elements, allowed us to implement some other improvements. A video demonstrating the SACD techniques is available at the following private YouTube link <https://youtu.be/rVx0y4F206w>

In the following, we call the SACD techniques for performing union, join and data visualization *Query Broadcasting*, *Flying Join* and *Aggregation&Visualization*, respectively.

4.1. Query Broadcasting

The final solution to query multiple data sources each displayed on a different device, by typing a keyword just once on one device, was to implement the spatial-aware technique based on the spatial proximity of the devices. The design of the prototype required us to deepen three aspects that lightly emerged during the elicitation study. The first one regarded the feedback about device grouping. To notify users that a device is part of a group, display borders of the grouped devices are highlighted in orange, as shown in Figure 2. This also provides feedback on how much a device should be moved close to the others to be a part of a group, since the orange borders appear only if the devices are close enough. Moreover, it improves the system status visibility, because all users can easily understand which devices are grouped even if they did not create or see the group creation.

The second aspect we considered was the technique to broadcast the query. In fact, different alternatives were expressed by the participants. For example, one of them said: *“I like that when I move a device close to another one the second device automatically executes the same query already performed on the first device”*. However, this gives rise to the following problem: let us suppose that on two devices, not yet grouped, two different queries have been executed. What happens when they are grouped? Which one broadcasts its query to the other one? In the final design, we opted for broadcasting any query at grouping time, i.e., queries are broadcasted only after the group has been established.

The third aspect we deeply investigated was the distance threshold between the devices to consider them a group. Some participants suggested that a small distance should be kept between the devices; other participants said that devices should adhere each other. However, we did not consider this second possibility, because of HuddleLamp would not be able to recognize the devices if there is not a distance of at least 0,5 centimeters between them. Taking into account that up to five tablets can be positioned over the desk area recognized by HuddleLamp (of about 1.0×0.6m), we empirically established that devices are grouped when the distance between them is in the range 0.5 – 3 centimeters.




Figure 2. Example of *Query Broadcasting*.

4.2. *Flying join*

To query a data source available on a device B with portions of text displayed on a device A, participants proposed two solutions, *directional flick* and *contextual menu*, similar to the techniques to move content across devices compared in [Reetz et al. 2006]. For large targets, directional flick was significantly faster than radar (a technique very similar to the contextual menu proposed by our participants), but was inaccurate for small targets. *Edge Bubbles*, presented in [Rädle et al. 2015], enhances the flick technique; it was shown that it outperforms other methods like contextual menu and radar. Edge Bubbles consists in colored semi-circles around the edges of the screen, which act as visual proxies for remote devices and indicate the direction in which the remote devices are located on the desk. The locations of the bubbles are defined by imaginary lines connecting the central point of the source device and the central point of the target devices. Each bubble is located where this imaginary line intersects with the edges of the local screen. The positions of the bubbles are updated in real-time and thus always reflect changes in the physical configuration of the devices. In the Edge Bubble technique, dragging and dropping an item onto one of the edge bubbles means copying the dragged item in the target device.




Figure 3. Example of Flying Join.

We adopted the Edge Bubble solution to implement the *Flying Join*. In particular, in our prototype dragging and dropping a piece of text onto one of the edge bubbles generates a query on the target device with the dragged text as the keyword. For example, in Figure 3 YouTube is queried by dragging and dropping a specific singer's name into the Last.Fm red rectangle. According to the pilot study findings, edge bubbles affordance was improved by representing them as rectangles instead of semi-circles, thus resembling the tablet or smartphone shape (see Figure 3). Furthermore, during the formative evaluation (see Section 6), users encountered difficulties in dragging a large piece of text onto the bubbles. The final implemented solution evaluated during the comparative study (see Section 7) is to provisionally redouble the dimension of a bubble when the dragged text is approaching it. In the example of Figure 3, the dimension of the red rectangle has been redoubled because the singer's name has been dragged on it.

4.3. Aggregation&Visualization

The third composition technique related to the data visualization operation consists in synchronizing one or more source devices S_i , $1 \leq i \leq n$, and one target device T , so that data coming from $S_1 \dots S_n$ are visualized in T . It is called *Aggregation&Visualization* because it allows the visualization on T of data gathered from a single device or an aggregation of devices previously grouped with the *Query Broadcasting* technique. The aggregated data are visualized according to the visualization provided by T , for example, Google Maps.

In the end, we implemented the proposal of Groups 2 and 3, i.e., a menu on the target device T to select the source device S on the desk from which to visualize the data. Moreover, as required by each group, we allowed the selection of not only a source device, but also devices grouped by using the *Query Broadcasting* technique. When a user opens a site on T that provides a specific visualization (for instance, Google Maps), in

the title bar the button *Decant** is available (see Figure 4a). By clicking this button, a pop-up appears, which lists all the devices on the desk each identified by the name of the site it is executing. If multiple devices have been grouped for query broadcasting, the name of the group, which has been automatically created by the system by concatenating the site names, is displayed. The user chooses the source devices from the list. From now on, the target device T visualizes the data gathered from the source devices S (Figure 4b). Any data updating on S is immediately propagated on T. The synchronization between T and S can be cancelled by using the menu in T or by taking away S from the table. In addition, as reaction to a tap on a specific item in the source devices S, the same item is highlighted on the target device T. For example, if Google Maps is displayed on T, the map is centred and zoomed at the location of the item tapped on S. Although at a first glance this can appear to be a spatial-agnostic technique, it also exploits spatial awareness system features, since T is aware of and reacts to all the devices currently on the desk.




Figure 4. Example of *Aggregation&Visualization*: (a) selection of Last.fm as source; (b) visualization of Last.fm items as pins on Google Maps.

* We have used 'Decant' as metaphor of pouring and mixing wine in another container, where it assumes the shape of the target container and the new flavour due to the mixing.

5. Implemented System

In our view, the final software should be implemented as a plugin for mobile device browsers, which enables the orchestration of web-site data and functionalities according to the spatial-aware cross-device interaction techniques emerged from the elicitation study. At the current stage of our research, we are focusing on the design and evaluation of the interaction paradigm, without the need to develop a definitive system. Therefore, we reproduced, as accurately as possible, a set of Web sites where it is possible to enable and disable the spatial-aware cross-device interaction techniques. The implemented sites were: *Zoopla*, to find houses for rent in UK cities; *UK Air pollution*, to retrieve air pollution information provided by sensory-stations installed in UK cities; *Google Places*, to discover points of interest in a place; *Last.fm*, to find upcoming musical events in a place; *YouTube*, the famous video provider; *Google Maps*, the well-known interactive geographical map service. Such Web sites were chosen according to the scenarios and tasks to be performed by participants during the formative evaluation (Section 6) and the comparative evaluation (Section 7).

The overall system installation consists in setting up the HuddleLamp desk hardware (already described in the related work) as shown in Figure 5, and deploying our Web sites on a Meteor Web server [Inc. 2016]. Users interact with the reproduced Web sites using the mobile devices' browser connected to the Meteor server and placed on the desk. Initially, each device on the desk displays a QR code that allows the lamp to identify it. Then, the QR code disappears and the device shows a page with a menu, where the user can choose which of the available sites will be run on that device.

Exiting solutions for cross-device interaction require the installation of either hardware (in the environment [Reetz et al. 2006; Voids et al. 2005] or on the devices) or software (to manage the registration of devices [Hamilton and Wigdor 2014] or the addition of a functionality [Dachselt and Buchholz 2009]). Thanks to HuddleLamp, no hardware or software needs to be installed on the mobile device, since users have just to open a Web site. This aspect fosters the adoption of this system in real contexts. It is worth noticing that the proposed SADC techniques could be enabled also by different technologies than HuddleLamp, provided that spatial-aware features are provided to mobile devices (see for example [Alt et al. 2013; Reetz et al. 2006; Rekimoto and Saitoh 1999]).

6. Formative Evaluation

The prototype described in the previous section was implemented in order to preliminary test the usability of the proposed SADC interaction techniques. We designed a formative evaluation inspired by [Hamilton and Wigdor 2014], i.e., a study in which participants are required to perform real tasks using the system. This study was performed during the interactive demo session of the International Symposium on End-User Development (IS-EUD) held in Madrid, Spain, during May 2015 [Desolda and Jetter 2015]. The session was open to both conference participants and external visitors and was widely advertised by the conference organizers before and during the conference days.

Since the main goal of this study was to understand how the proposed spatial-aware cross-device techniques support users - possibly without technical skills - in seeking and sensemaking tasks, similarly to [Hamilton and Wigdor 2014], we addressed three research questions:

- RQ1) Are users able to perform co-located collaborative tasks by exploiting the proposed interaction techniques?
- RQ2) Are users satisfied in performing co-located collaborative tasks using the proposed interaction techniques?

RQ3) Do users would prefer different interaction techniques for the three operations?

6.1. Participants and Design

We were able to recruit a total of 13 participants (5 female), aged between 23 and 64 ($\bar{x} = 32$, $SD = 13.74$). More specifically, the participants were:

- 2 groups of technology experts (G1 with 3 participants, G3 with 4 participants), i.e., conference attendees who, according to the research papers they presented at the conference or to the comments they provided during the interaction, can be considered technology experts.
- 2 groups of non-technical users (G2 with 4 participants, G4 with 2 participants), i.e., no technical savvy conference attendees (e.g. researchers of other disciplines than Computer Science or Engineering) or external visitors.

Participants were intentionally divided in groups of technology experts and non-technical users because we aimed to investigate if the proposed composition paradigm fits equally the mental model of technical and non-technical users. Indeed, systems for data composition (e.g., mashup tools [Daniel and Matera 2014]) are typically most suitable for users with skill in computer programming, but our goal is to design SACD data composition mechanisms adequate for both technical and non-technical users.

The study was presented to each group of participants as a demo that gave them the opportunity to use the prototype to accomplish two scenarios. In Scenario 1, the participants in a group were asked to act as friends planning to move to the UK. They had to look for a property in a UK city (using the Zoopla site), also considering factors like air pollution (using the UK Air pollution site) and property proximity to bus/metro stations (using the Google Places site). To evaluate the distance between properties, air pollution sensory-stations and bus/metro stations, they could use Google Maps to visualize the site results on the map. This scenario was designed to stimulate users in performing *Query Broadcasting* (for example, to query Zoopla, UK Air pollution and Google Places together using keywords like London, Liverpool, etc.) and *Aggregation&Visualization* (for example, to visualize results on Google Maps) activities.

In Scenario 2, participants were asked to act as a group of colleagues who were in Madrid to attend a conference. They wanted to spend an evening at a music concert. Their goal was to find a concert in Madrid during the conference days using the Last.fm site. They could also use YouTube to search for videos related to the concert singer(s) and Google Maps to locate the concert venue. This scenario was designed to stimulate users to perform a *Flying Join*, for example to search on YouTube for a specific artist previously retrieved in Last.fm (by drag & drop of a Last.fm artist name in the YouTube proxy), as well as to search for a specific concert venue (by drag & drop of a Last.fm location name in the Google Maps proxy).

The two scenarios were formulated so that they did not guide or constrain the user flow/interaction. Each group was required to search useful information following some general indications. In addition, the groups were not forced to use the SACD techniques but they could use them if considered useful to solve part of the scenario.

The scenario execution order was counterbalanced across the four groups to neutralize learning biases. Participants were asked to verbalize their thoughts and comments according to the think-aloud protocol.

6.2. Procedure

The study took place in a quiet and isolated area in the main conference room where we installed the study apparatus 30 minutes before the interactive demo session (see Figure 5). Two HCI researchers were involved in the study. In particular, one (facilitator) was in charge of introducing the participants to the study. In

addition, since HuddleLamp sometimes suffers from detecting and tracking failures because of the environmental lighting, the facilitator was in charge of mitigating the problem acting as a “Wizard of Oz” (see, for example, [Dahlbäck et al. 1993]): when a failure occurred, he manipulated, by means of a laptop (visible in Figure 5), an interactive real-time representation of both the desk and the devices on it by moving the corresponding virtual device according to the participants’ actions. Luckily, few detection problems occurred, thus participants were not aware of this workaround. The second researcher (observer) took notes and was responsible for recruiting and scheduling groups of participants.

Each group interacted for about 60 minutes for a total of 4 hours. Every group followed the same procedure. First, each group member was asked to sign a consent form. Then, the facilitator gave a quick introduction to the three composition techniques by using a 5-minute video (no bias was introduced since the video showed different situations than the two experimental scenarios). Then, the actual interactive session started: the group was provided with four Apple iPads (9.7-inch display) on the desk, already set with the Safari browser connected to our Web application. The group was invited to perform the scenarios 1 and 2, reported on the two sides of a paper sheet, by using the available sites with or without the presented special-aware features, as they preferred. At the end, participants filled in an online questionnaire.



Figure 5. A group of participants and the facilitator discussing during the formative evaluation. The HuddleLamp camera attached to a flexible white arm and four tablets on the desk are visible.

6.3. *Data Collection & Analysis*

Different types of data were collected during the study. In particular, the observer took notes about significant participants’ behaviour or comments they externalized during the interactive session. All the

interactions were audio-video recorded to extract the participants' utterances and comments. The set of collected notes was extended by video and audio analysis, performed by two researchers following the same procedure performed after the elicitation study (audio transcription, double-check and analysis).

After the interactive session, the participants filled in an online questionnaire, which included the System Usability Scale (SUS) form with a further 22 statements. The SUS is a "quick and dirty" tool for measuring the system usability by means of 10 statements, rated by a 5-point Likert scale ranging from *Strongly agree* to *Strongly disagree* [Brooke 1996]. It was chosen because it is high reliable [Bangor et al. 2008], technology agnostic (tested in the last 25 years on hardware, consumer software, websites, cell-phones, etc.) and effective also for evaluating usability of modern technology [Brooke 2013]. We extended the SUS questionnaire with 10 new statements on the participants' background and 12 on the evaluation of the proposed composition techniques and the performed scenarios. Thus, the final questionnaire was composed of 32 questions.

At the end of the interactive session, some participants wanted to discuss with one of the HCI researchers, who is also the prototype developer, both technical and/or interaction details. They also provided hints for improving the system.

6.4. Results

6.4.1. System Usage and User Behaviour

The qualitative data collected with notes and audio-video analysis provided important hints on participants' behaviour, new ideas and system improvements. The most significant problem observed was related to the *Aggregation&Visualization* technique, sometimes confused with *Query Broadcasting* by participants, as also confirmed by their utterances. This problem occurred for three out of four groups. Indeed, when these three groups tried to visualize for the first time Zoopla data in Google Maps, they moved the Zoopla device close to the Google Maps device, thus communicating a *Query Broadcasting* instead of *Aggregation&Visualization*. This problem is in line with the results obtained during the elicitation study, where 50% of groups changed the visualization by moving the devices close and 50% by using a menu.

Minor problems were detected for the *Query Broadcasting* and the *Flying Join* technique. For the former, we observed that participants took some time to appropriate the spatial-aware cross-device technique. In fact, at the beginning of Scenario 1 two groups queried different devices by typing the same query on different devices. Only after some seconds, they realized that they could broadcast the query. For example, a member of G4 said: "*ops, we can search for London more quickly by using the function shown in the video*".

Regarding the *Flying Join*, the observed problems were generated by some implementation constraints adopted in the prototype, which did not allow participants to perform some actions not foreseen by us. In particular, in the prototype users are enabled to drag one single piece of text (e.g., the property address from Zoopla) only onto the Google Maps and/or YouTube proxies. During the study participants instead tried to drag data of the pollution sensory-stations from the UK Air Pollution site onto the Zoopla proxy, in order to find on the Zoopla device all the properties around a non-polluted area.

We also collected important hints on how to improve the system usability. One of the most important is related to the proxy memorability. In fact, to support moving data across different devices, inspired by the "Edge Bubble" technique [Rädle et al. 2015], the proxies were shaped as colored rectangles. The colors were the same of the site toolbars shown on the respective devices, but some participants didn't notice or remember this relation. Two of them (in G2 and G4) suggested adding the site name or logo inside the proxy.

The usability assessment was also performed through the analysis of the post-questionnaire data. In the following sub-sections, further details about the SUS scores (6.4.2), perceived usability of SACD techniques (6.4.3) and perceived satisfaction (6.4.4) are reported.

6.4.2. System Usability and Learnability

The 10 SUS questions provided useful indications about the perceived system usability and learnability. The SUS global score was 68.3 (SD = 10.6, 95% CI = [65.4, 71.2]) and in line with the average SUS scores (69.5) of one thousand studies reported in [Bangor et al. 2009]. In addition, according to [Lewis and Sauro 2009], we split the overall SUS score into two factors, i.e., *System Learnability* (considering statements #4 - need of external support - and #10 - need to learn a lot of things to use the system) and *System Usability* (all the other statements). The *System Learnability* score was 62.5 (SD = 25.5, 95% CI = [55.5, 69.4]), while the *System Usability* score was 69.7 (SD = 8.5, 95% CI = [67.4, 72.0]). Thanks to the analysis of the observer’s notes and video recordings, we can mainly attribute the lower learnability score to the difficulties that participants experienced with the *Aggregation&Visualization* technique.

We investigated the effect of the user expertise on the SUS global score, as well as on the SUS usability and SUS learnability scores (see Figure 6). Mann-Whitney U tests were run to determine if there were differences in the SUS scores between technical and non-technical users. In all the three cases, median scores were not statistically significantly different between technical and non-technical users ($U_{SUS} = 22.500$, $p = .836$; $U_{SUS_usability} = 20.000$, $p = .945$; $U_{SUS_learnability} = 23.500$, $p = .731$).

The satisfactory SUS scores obtained during the study, together with the equivalence of the technical and non-technical users’ scores, suggest a acceptable usability of the overall system, which does fit the mental model of both technical and non-technical users, as it often does not happens with traditional web tools to compose data sources [Namoun et al. 2010; Wajid et al. 2011].




Figure 6. For each SUS dimension, a couple of bars depict the SUS scores of technical and non-technical users.

6.4.3. Cross-device Technique Usability

The administered questionnaire also included 12 statements (2 open and 10 close questions) to collect data on the perceived usability of some specific aspects, in particular on the techniques to perform the three composition operations and on the system used in the specific scenarios. The closed questions were formulated as a 5 -point Likert scale ranging from *Very difficult* (1) to *Very easy* (5).

The answers to the three closed questions addressing each interaction technique indicated a high level of perceived usability. The obtained values were: for *Query Broadcasting* $\bar{x} = 3.92$, $SD = 0.86$; for *Flying Join* $\bar{x} = 4.00$, $SD = 0.81$; *Aggregation&Visualization* $\bar{x} = 4.15$, $SD = 0.90$. These results are very encouraging and confirm what we also observed during the interactive session.

We also investigated the effect of the user expertise on the usability of the three composition techniques (see Figure 7). Mann-Whitney U tests were run to determine if there were differences between technical and non-technical users. In all the three cases, median scores were not statistically significantly different between technical and non-technical users ($U_{\text{Query_Broadcasting}} = 22.500$, $p = .836$; $U_{\text{Flying_join}} = 18.000$, $p = .731$; $U_{\text{Aggregation\&Visualization}} = 13.500$, $p = .295$).




Figure 7. For each SCD technique, a couple of bars depict the scores of technical and non-technical users.

6.4.4. Perceived User Satisfaction

Besides evaluating each composition technique, we also assessed the perceived user satisfaction with respect to performing the two assigned scenarios. We asked the participants if they were satisfied with the *easiness* and the amount of *time* to complete the scenarios. As a result, for Scenario 1, the participants felt satisfied about the ease of completing the scenario ($\bar{x} = 3.76$, $SD = 0.72$) and the required amount of time ($\bar{x} = 3.76$, $SD = 0.83$). For Scenario 2, they felt even more satisfied about the ease of completing it ($\bar{x} = 4.14$, $SD = 0.55$) and the required amount of time ($\bar{x} = 4.23$, $SD = 0.93$). There was not a statistically significant difference for easiness and time between Scenario 1 and Scenario 2 ($t_{\text{easiness}(24)} = -1.519$, $p = .142$; $t_{\text{time}(24)} =$

-1.336, $p = .194$). These results revealed that the participants thought that the system adequately supported the two different co-located collaborative sensemaking scenarios.

We also investigated the effect of the user expertise on the easiness and the time to perform the two scenarios (see Figure 8). A Mann-Whitney U test was adopted to perform this analysis. No significant differences emerged in all the cases ($U_{\text{Scenario}_1_{\text{easiness}}} = 19.000$, $p = .836$; $U_{\text{Scenario}_2_{\text{easiness}}} = 27.000$, $p = .445$; $U_{\text{Scenario}_1_{\text{time}}} = 23.500$, $p = .731$; $U_{\text{Scenario}_2_{\text{time}}} = 22.500$, $p = .836$).




Figure 8. For each scenario, a couple of bars depicts the scores of technical and non-technical users for *easiness* and *time* dimensions.

6.5. Discussion

The formative evaluation was driven by the three research questions that we addressed by triangulating the collected qualitative and quantitative data. For RQ1, related to the users’ ability to perform real co-located collaborative tasks by exploiting spatial awareness techniques, we can say that the participants were able to exploit the designed solutions in different co-located collaborative sensemaking scenarios. According to the questionnaire results, the participants appreciated the easiness and efficiency in executing the tasks required by the two scenarios. No differences emerged between technical and non-technical users. We also triangulated the quantitative questionnaire results with the qualitative data (open questions, video, audio) to better articulate our answer to RQ1. In particular, the four groups were able to complete the scenarios, even though some difficulties with the *Aggregation&Visualization* technique forced three groups to ask for help once. In order to improve users’ awareness of the system status, in the next version of the system a popup window shows a message that informs them that “the device is now part of a group. All the devices in the group can be queried together”.

RQ2 addressed user satisfaction with performing co-located collaborative tasks using the proposed interaction techniques. The questionnaire results showed a high level of satisfaction about the proposed interaction techniques. No differences were found between technical and non-technical users. Useful indications emerged on how to enhance further the three interaction techniques. For example, the proxy

memorability could be improved by adding the logo/site name inside, as suggested by some participants. It is worth remarking that previous studies already investigated proxy usage for cross-device interaction as, for example, in [Rädle et al. 2015]. However, proxy memorability did not emerge as a problem in that study, probably because only simple tasks in a laboratory setting were performed, while we considered a more complex and real situation. According to these findings, the system prototype was modified before performing the next comparative evaluation. A label inside the proxy indicates the site name visualized on the target device. The proxy size redoubles during the drag of UI elements, thus fostering an easier drop of large UI pieces inside the proxy. If two or more proxies are on the same line because of the physical position of the corresponding devices, they appear close instead of overlapping each other. Finally, the implementation of the Flying join technique was improved, in order to support the actions emerged in the formative evaluation. In particular, data items can be dragged from any source site onto the proxy of any target site.

About RQ3, i.e., if users would prefer different interaction techniques for the three composition operations, the participants provided some remarks only for the *Aggregation&Visualization* technique, because of the slight difficulties they experienced in realizing quickly how to use it correctly. Thus, there is room for improvements of this technique, which can be designed and evaluated in future work

7. Comparative Evaluation

We carried out a comparative evaluation to assess if the three proposed SACD techniques provide some advantages for the execution of collaborative sensemaking tasks in comparison with the use of mobile devices without any ad-hoc technique, which represents the state-of-the-art.

7.1. Participants and Study Design

27 participants (22 males, 5 females) were recruited among the students of the second and third year of Computer Science Bachelor degree courses at the University of Bari. The mean age was 23.33 years (SD = 1.96, min = 20, max = 28). The recruitment started 2 weeks before the study execution and it was performed by posting announcements on students' social networks and on the large displays located in different locations of the Computer Science department. One 8GB USB memory stick was offered as reward for participating in the study.

Two research questions guided the study:

RQ1) What is the difference in terms of user performance in accomplishing sensemaking tasks using mobile devices with and without SACD techniques?

RQ2) What is the difference in terms of user satisfaction in accomplishing sensemaking tasks using mobile devices with and without SACD techniques?

We performed a controlled experiment adopting a *within-subject design*, with SACD as independent variable and two within-subject conditions: *enabled* and *disabled*.

7.2. Tasks

The participants were required to interact with tablets to perform a set of tasks. As for the elicitation study, the proposed tasks were inspired to the data source composition and manipulation operations considered useful by end users of mashup tools, which are often used in sensemaking activities [Ardito et al. 2014b; Daniel and Matera 2014], i.e., *union* of data sources, *join* of data sources, and *data visualization*.

For each of these three operations, a task schema was designed (see Table 1). To achieve a higher internal validity, each schema was used to generate three tasks. To improve the external validity of the study, all the tasks required the use of popular Web sites and the achievement of simple but concrete goals.

Query a Device (QD) tasks ask to use a tablet running the Last.fm web site to find a specific upcoming event in a UK city; a second tablet is used for searching in YouTube videos related to three singers listed in the Last.fm results. In the enabled condition, users interacting with Last.fm can use the *Flying Join* technique that allows them to drag the singers' name on the YouTube proxy, thus directly querying YouTube and visualizing the results on the second tablet. In the disabled condition, users can type on the YouTube tablet the singers' name to be used for the query.

Query a Group of Devices (QGD) tasks asked to query Zoopla, UK Air Pollution and Google Places Web sites running on three different tablets by using the name of a UK city. In the enabled condition, users can use the *Query Broadcasting* technique, by putting the devices close to each other for creating a group and then querying just one of them to automatically *broadcast* the same query to the other devices. In the disabled condition, users can type the given keyword in the Web site shown in each device.

Visualize an Item (VI) tasks asked to use a tablet to find in Zoopla the houses for rent in a UK city, and to use another tablet to show on Google Maps the position of three of them. In the enabled condition, by using the *Aggregation&Visualization* technique, the users can show the position of the Zoopla items on Google Maps and all at once. In the disabled condition, the user interacting with Google Maps can manually type each of the addresses communicated by the other user.

Table 1. The 3 experimental task schemas used in the comparative study. For each schema, to create three final tasks statements, *CITY* was replaced by an actual UK city name (namely, London, Liverpool and Manchester), while *I, J, K* were replaced by random numbers ranging from 1 to 20.

Task Schema	Task statement
QD	Use a tablet to search on Last.fm all the upcoming musical events in <i>CITY</i> . With a second tablet, open YouTube and search for videos using as keyword the name of the singer(s) you see at the <i>I, J and K</i> positions of the Last.fm results.
QGD	Use three tablets. On each of them open respectively Air Pollution, Zoopla e Google Places. Then, in each of these Web sites search data related to <i>CITY</i> .
VI	Use a tablet to search on Zoopla all properties for rent in <i>CITY</i> . Then, on a second tablet use Google Maps to locate the houses at <i>I, J and K</i> positions in the Zoopla results.

7.3. Procedure

The study took place in a quiet university room where the study apparatus was installed. Two HCI experts were involved: one acted as observer, the other as facilitator. Three tablets were adopted: a Samsung Galaxy Tab 3, a Lenovo TAB 2 A7 and an Apple iPad 3. To foster communications and interactions between participants, a rounded table was used [Buur and Soendergaard 2000] (see Figure 9). In the SACD techniques enabled condition, the HuddleLamp was activated.

The comparative study lasted 3 days. Three groups were individually observed each day. Every group followed the same procedure. First, they were introduced to the study purpose and what they had to accomplish. Participants were asked to sign a consent form. Nobody refused to participate in the study. The study procedure was preliminarily assessed by a pilot study involving two groups with six participants (three for each group).



Figure 9. Comparative study setting.

The groups were provided with a booklet composed of two pages. Each page reported three training and nine experimental tasks to be performed in one of the experimental conditions. To avoid carry-over effect, the booklet pages were ordered to have the experimental condition order counterbalanced across the participants. In addition, the experimental task order on each page was counterbalanced across the experimental conditions, both according to a Latin Square design.

The facilitator introduced the first condition, i.e., the one reported on the first page of the participant booklet, and demonstrated how to perform one task for each of the task schemas. The demonstrated tasks were similar to the ones to be performed during the following training and experimental sessions. Then, the participants were invited to execute the three training tasks, possibly asking the facilitator for help.

After the training, the groups had to perform the experimental tasks. They had to read aloud the task text and then start the execution. At the end of all the experimental tasks, they filled in an online questionnaire. Before repeating the same procedure in the other condition, the participants were invited to relax for five minutes. Similarly to the formative evaluation procedure, the facilitator acted in a Wizard of Oz fashion [Dahlbäck et al. 1993] in order to alleviate the detection problems of HuddleLamp. At the end of the study, participants were asked to vote for their favorite condition.

7.4. Data Collection

The evaluation addressed user performance and satisfaction in performing sensemaking tasks with and without the support of SACD techniques. Different types of data, both quantitative and qualitative, were collected. All the interactions were audio-video recorded by using an external camera. The observers took notes on significant behavior or externalized comments. Online questionnaires were filled in during the study.

The two researchers transcribed their notes and performed an audio-video analysis of the records. As result, they built an excel file reporting for each task performed by each group the following data: group ID (from 1 to 9), condition (SACD techniques enabled/disabled), task ID (T1-T9), task type (QD, QGD, VI) and

time (in seconds). Then, they independently double-checked such data. The initial reliability value was 94%, thus the researchers discussed the differences and reached a full agreement.

The online questionnaire included 28 questions. The first ten were the ones of the SUS questionnaire, and they were introduced to evaluate the overall system, without distinguish the specific types of task. In the rest of the questionnaire, participants rated the three types of task by using the six subscales of the NASA TLX questionnaire, i.e., Mental demand, Physical Demand, Temporal Demand, Performance, Effort, Frustration (all subscales range from 0=low to 100=high) [Hart and Staveland 1988].

7.5. Performance Results

In order to answer the first research question, namely if there is a difference in terms of *user performance* in accomplishing sensemaking tasks using mobile devices with and without SACD techniques, we analyzed the time groups spent in performing the assigned tasks (see Figure 10).




Figure 10. Bar chart showing the time groups spent in performing QD, QGD and VI tasks in both the conditions. The lowest mean time is the best.

For each type of task, paired-sample t-tests were adopted to find statistical differences in both conditions. The use of SACD techniques improve user performances in case of QD and VI tasks ($t_{QD}(26) = -3.436, p = .002$; $t_{VI}(26) = -6.946, p < .000$) while no differences emerged in case of QGD task ($t_{QGD}(26) = -1.654, p = .110$).

7.6. Satisfaction Results

In order to answer the second research question, namely if there is a difference in terms of *user satisfaction* in accomplishing sensemaking tasks using mobile devices with and without SACD techniques, we analyzed the questionnaire results. In order to obtain the overall users satisfaction about each condition (i.e., SACD

enabled vs. disabled), we analyzed the answers of the first ten questions, which refer to the SUS questionnaire. For each participant, we calculated the SUS global score, as well as SUS learnability and SUS usability scores related to the two conditions [Lewis and Sauro 2009] (see Figure 11). For each SUS dimension, paired-sample t-tests were adopted to measure statistical differences between the two conditions. The SUS global score and SUS usability score were better in case of SACD enabled, while SUS learnability was better in case of SACD disabled ($t_{\text{SUS}}(26) = -3.072$, $p = .005$; $t_{\text{learnability}}(26) = 3.407$, $p = .002$; $t_{\text{usability}}(26) = -4.150$, $p < .000$).




Figure 11. SUS score, SUS learnability and SUS usability of each condition.
The highest score is the best.

To better understand the user satisfaction with and without SACD techniques in relation to the type of task performed, we analyzed NASA TLX questions included in the second part of the questionnaires. The subjective ratings were analyzed with Wilcoxon Signed Rank Tests with a Bonferroni correction applied. In case of QD tasks, the use of the Flying Join technique was rated better in all the six dimensions, as summarized in the graph reported in Figure 12 ($Z_{\text{effort}} = -3.358$, $p = .001$; $Z_{\text{frustration}} = -3.632$, $p < .000$; $Z_{\text{mental-effort}} = -3.195$, $p = .001$; $Z_{\text{performance}} = -2.824$, $p = .005$; $Z_{\text{physical-effort}} = -4.077$, $p < .000$; $Z_{\text{temporal-demand}} = -3.832$, $p < .000$). In case of QGD tasks, the use of the Query Broadcasting technique was rated better only in frustration, physical effort and temporal demand dimensions, as summarized in the graph reported in Figure 13 ($Z_{\text{effort}} = -1.164$, $p = .244$; $Z_{\text{frustration}} = -2.640$, $p = .008$; $Z_{\text{mental-effort}} = -.442$, $p = .658$; $Z_{\text{performance}} = -1.118$, $p = .263$; $Z_{\text{physical-effort}} = -2.324$, $p = .020$; $Z_{\text{temporal-demand}} = -2.754$, $p = .006$). In case of VI, the use of the Aggregation&Visualization technique was rated better in all the six dimensions, as summarized in the graph reported in Figure 14 ($Z_{\text{effort}} = -3.604$, $p < .000$; $Z_{\text{frustration}} = -3.730$, $p < .000$; $Z_{\text{mental-effort}} = -2.960$, $p = .003$; $Z_{\text{performance}} = -2.636$, $p = .008$; $Z_{\text{physical-effort}} = -3.817$, $p < .000$; $Z_{\text{temporal-demand}} = -4.303$, $p < .000$).




Figure 12. NASA TLX dimensions related to the QD tasks. The lowest score is the best.




Figure 13. NASA TLX dimensions related to the QGD tasks. Lowest score is the best.




Figure 14. NASA TLX dimensions related to the VI tasks. The lowest score is the best.

7.7. Discussion

The main goal of the comparative evaluation was the assessment of the three proposed SACD techniques to understand if they provide some advantages in performing collaborative sensemaking tasks. To this aim, a comparison was carried out between two systems that implement a set of Web sites: in the first case, such Web sites were enhanced with SACD techniques while, in the second case, the Web sites were used in a traditional way, i.e. without any ad-hoc technique supporting sensemaking tasks. The study was driven by two research questions, regarding respectively the user performance and user satisfaction interacting with systems with and without SACD techniques.

In terms of user performance, the *Flying Join* and *Aggregation&Visualization* techniques allowed the participants to perform sensemaking tasks faster than without any ad-hoc technique, while the *Query Broadcasting* technique did not provide any significant advantage. The analysis of the video recordings helped us to interpret these results. In case of QD tasks, groups acted faster using the *Flying Join* technique since it allowed them to perform the tasks by means of simple drag&drop actions. On the contrary, without the *Flying Join*, groups had to manually type the search keyword, e.g., the singer's name in the YouTube search field. In some cases, the participants also wasted time to verbally communicate among them the name spelling or to input again the search keywords due to a wrong verbal or written exchange of information. In case of VI tasks, groups acted faster thanks to the *Aggregation&Visualization* technique, since it allowed them to plot on Google Maps all the houses returned by Zoopla and to highlight on the map a specific house by simply tapping on the corresponding Zoopla item. On the contrary, without the *Aggregation&Visualization* technique, the participants had to manually type the entire address in the Google Maps search field. It also happened that, due to the address length, some participants wrote down the address on a paper sheet and gave it to the other participant who inserted it in Google Maps. In case of QGD tasks performed in the SACD technique disabled factor, the group members typed simultaneously the queries on each device, thus making their performance not significantly different from the SACD technique enabled condition. However, we deem

that in a situation in which there are more tablets than users, the Query Broadcasting technique would provide a significant advantage in terms of performance for executing QGD.

Regarding the user satisfaction measured by means of the SUS questionnaire, the results revealed an overall participants' preference of systems with SACD techniques (see SUS global score in Figure 11). In addition, the decomposition of the SUS global score into SUS learnability and SUS usability scores revealed that, even if the SACD techniques have a good usability with respect to the use of the system without SACD techniques, they require more effort to be learnt (see in Figure 11 SUS usability score and SUS learnability score, respectively). A more detailed analysis of the users' preferences of each type of task was carried out according to the six dimensions: Mental demand, Physical Demand, Temporal Demand, Performance, Effort, and Frustration. In case of QD and VI tasks, both the Flying Join and Aggregation&Visualization techniques were perceived as the best in all the dimensions, confirming the performances' results. Regarding the QGD, the Query Broadcasting was perceived better in frustration, physical effort and time dimensions, while no differences emerged in the other dimensions. Even if in the Query Broadcasting no differences emerged in terms of performances, the NASA TLX results confirm that users prefer this technique since it is perceived as faster, less frustrating and less tiring.

7.8. Threat to Validity

In this section, we analyse some issues that may have threatened the validity of the comparative evaluation, also to highlight under which conditions the study design offers benefits that can be exploited in other contexts, and under which circumstances it might fail.

7.8.1. Internal validity

Internal validity can be threatened by some hidden factors compromising the achieved conclusions:

- *Learning effect.* In our experiment, this factor was minimized by counterbalancing the conditions (SACD techniques *enabled* and *disabled*) and the experimental tasks order across the conditions, both according to a Latin Square design.
- *Subject sample appropriateness.* As discussed in [Ko et al. 2015], “the recruiting phase represents one of the most critical steps of the experiments because good inclusion criteria have to reflect the characteristics of the users that researchers believes would benefit from using the experimented tools” and “students can be appropriate participants when their knowledge, skills, and experiences fit within a tool’s intended user population”. Since the recruited participants were young students, we can safely assume that study participants represent a significant portion of targeted end users. However, we cannot generalize our results to the entire target of users.
- *Subject experience.* It was alleviated by the fact that none of the subjects had any experience with the experimented systems.
- *Subject-expectancy Effects.* Students are not the most suitable participants for a user study due to the subject-expectancy effect they can produce, i.e., a form of reactivity that occurs when a research subject expects a given result and therefore unconsciously affects the outcome. According to the suggestions reported in [Ko et al. 2015], to minimize the biases that students may introduce and mitigated this effect, we masked details that can produce bias. In particular, we presented the experiment to the participants in a way that suggests that we had no stake in the outcome.

- *Method authorship.* We eliminated the biases that different facilitators running the experiment could introduce, as we had the same instructor for every session of the study. In this way, we avoided any variability in the initial training as well as in the way users had been observed.
- *Information exchange.* Since the study took place over 3 days, it is difficult to be certain whether the involved subjects did not exchange any information. However, the participants were recruited from different classes and during exams period thus, for many of them, it was difficult to know each other and to communicate. The participants were asked to return all the material (e.g., the booklet) at the end of each session. We asked participants coming from the same classes and who typically study and travel together to perform the test in the same session.
- *Understandability of the material.* A pilot study involving two groups with six participants (three for each group) was carried out to assess the understandability of experiment procedures and materials.

7.8.2. External validity

External validity refers to the possible approximation of truth of conclusions in the attempt to generalize the results of the study in different contexts. With this respect, the main threats of our study are:

- *Participants' age.* Since the study participants were young students, we have to take into account the participants' age that limits the prediction of the tools benefits to older people. Thus, we can safely accept the experiment results for *digital natives* [Prensky 2001], but further studies have to be carried out including older people.
- *Comparison with other tools.* In the comparison, we considered only the same system without SACD techniques. Even if, as reported in Section 2.2, further spatial aware and/or cross device systems are available, they were not included in the study for two reasons: 1) all of them are research tools not available as open source systems and 2) they are very different from the one we propose.

7.8.3. Construct validity

Construct validity might have been influenced by the measures we adopted in the quantitative analysis and by the reliability of the questionnaire. We alleviated the first threat by adopting measures, such as efficiency (e.g., time to complete a task), that are commonly employed in user studies [Dix et al. 2003].

7.8.4. Conclusion validity

Conclusion validity refers to the validity of the statistical tests applied. In our comparative study, this was alleviated by applying the most common tests that are employed in the empirical software engineering field [Juristo and Moreno 2013].

8. Recurring Themes and their Implications for Design and Future Research

From our elicitation study, we gathered a wealth of specific suggestions for cross-device interactions. We also learned how well our specific design manifestations of these suggestions performed during the two follow-up evaluations. However, there were also more fundamental and far-reaching themes that were repeatedly brought up by participants or occurred during the studies. In the following, we summarize these observations that go beyond our specific design under two themes and discuss their implications for design and future research.

8.1. *Ambiguity of Proximity: From proximity to proxemics*

Previous work has documented how space helps users work with objects that cannot be clearly categorized or filed yet and for which it is unclear how they will be used [Kidd 1994]. In such cases, users often use proximity to informally cluster related objects in piles or heaps at different locations in space. This strategy of informal *piling* leaves potentially helpful objects visible and accessible and simplifies perception and choice [Kirsh 1995]. The spatial layout of objects also gives them powerful and immediate contextual cues that serve as a representation of the users' context and activities. For example, spatial configurations can help users to recover a complex set of threads without difficulty and delay after interruptions [Kidd 1994] or they can help to raise group awareness during collaborative sensemaking [Jetter et al. 2011]. Arranging virtual or physical objects in space during knowledge work and sensemaking is therefore frequently observed for virtual desktops [Ravasio and Tschertter 2007], large interactive screens [Andrews et al. 2010], as well as physical office desks [Kidd 1994; Malone 1983].

Therefore, while it seems very natural to users to express similarity or connectedness between objects or devices by moving them close together, this does not necessarily tell us about the precise nature of this similarity or connection. Proximity alone lacks the expressiveness to qualify the kind of relation, e.g., if two devices should serve as two data sources whose output is merged, or if one should serve as data sink and visualization for the other data source. This problem became obvious in the many conflicts and inconsistencies in the proposed interactions of the participants during the elicitation study and formative evaluation. Moving two objects closer together or side-by-side did not have an unambiguous meaning, but participants assigned it with different meanings depending on the context and task at hand. What they wanted to express by decreasing or increasing the physical distance between objects was therefore highly context-dependent and could not be mapped to a system function in a straightforward manner.

Although our spatially-aware techniques already proved to be more efficient in our comparative evaluation, designers and the systems they build should take into account the full richness of *proxemics* [Greenberg et al. 2011] and their dimensions which go far beyond simple *distance* but also include *location*, *orientation*, *movement*, and *identity* of devices. While we focused primarily on location and distance, future systems could especially explore the use of orientation, movement and identity of both users and devices to a greater extent.

Another approach could be to enable users to precisely define the nature of a spatial relation in a two-step interaction: First, the users move devices closer together or further away to indicate which devices should be involved (i.e., selecting OBJECTS) as well as the strength of their relationship by using distance as an implicit expression of connectedness (i.e., selecting STRENGTH). In a second step, users could be asked to specify the kind of relation they want to express, for example, by explicitly selecting one of different types of relations from a popup menu (i.e., selecting RELATION). Alternatively, different orientations of devices could also be used to express the direction of the relation, e.g., in which direction data flows. By this, similar to the OBJECT-ACTION syntax of context menus in desktop operating systems, this kind of OBJECTS-STRENGTH-RELATION syntax could introduce spatial interaction techniques to let users explicitly control the type of relation when proximity alone is too ambiguous.

8.2. *Multi-Modal Referential Domains: Easier selection of remote devices*

A very frequent task during cross-device interaction is interacting with one device to exchange content or settings with another remote device, e.g., moving an object from a source tablet in your hands to a destination tablet that is lying on a table a few meters away or is held by another user somewhere else in the room. Such

tasks make it necessary to precisely and quickly select a remote device with an effective and efficient interaction technique that does not demand too many cognitive resources. For example, selecting a remote device simply by pointing at it with a finger might be much more usable and less time consuming than remembering and entering a long alphanumeric string as device identifier.

In their taxonomy of cross-display movement techniques, Nacenta et al. introduce the term “referential domain” for “the different methods or ‘languages’ in which objects can be referred to” [Nacenta et al. 2009]. They classify referential domains into two groups, spatial and non-spatial. A technique is spatial if it references devices spatially, i.e., if the required input to select a device relates in a spatial way to the position of the display in the physical arrangement of devices (e.g., pointing a gesture to a device). A technique is non-spatial when the destination device is referenced in any way that is not spatial, e.g., through names, through the navigation of hierarchies, through lists, through association with colors or shapes [Nacenta et al. 2009].

Recent research has found that using the spatial domain can be very successful. For example, Rädle et al. found that their spatial “edge bubbles” technique that combines spatial techniques with color coding was superior to techniques that relied on color coding alone [Rädle et al. 2015]. However, a hybrid “radar view” showing a color-coded top-down view or map of all devices, did not show the same performance, revealing that the way in which spatiality is introduced must be chosen carefully.

Despite the advantages of the “edge bubbles” we adopted and revised for our Flying Join technique, our studies highlighted room for improving its performance. First, “edge bubbles” introduce a cognitive overloading because users have to memorize the mapping between device colors and bubble colors. This problem did not emerge when users were required to use “edge bubbles” for simple laboratory tasks involving few devices [Rädle et al. 2015]. On the contrary, in more complex and real tasks, like the ones of our formative evaluation where 4/5 devices were involved, participants demonstrated a significant mental effort. Another limitation regards the proxies size. In fact, since mobile devices have a display size ranging from 7 to 11 inches, proxies have a size like a fingertip in order not to cover other UI elements. Thus, it can be very difficult to drop large UI elements inside a proxy; this difficulty was indeed experienced by our participants during the formative evaluation, when they tried to drop pieces of text inside the proxies. The last limitation regards the proxies overlapping: since the bubble locations are defined by imaginary lines connecting the central point of the source device and the central point of the target devices, if two or more devices are on the same imaginary line their proxies are overlapped.

From the observations of the user behavior during our studies and from the analysis of the user comments, we derived the following suggestions for the design of hybrid multi-modal referential domains. First, regarding the proxy memorability, in order to decrease the user mental effort, a label inside a proxy should indicate the target device, for example the site name or site logo. Second, regarding the proxy size problem, we suggest to double the proxy size only during the drag of UI elements, thus facilitating the drop of large UI pieces inside the proxy. Third, regarding the proxies overlapping, during the drag of UI elements inside a proxy, if two or more proxies are on the same line, they should appear close instead of overlapping.

9. Conclusion

In this article, we have proposed a data composition paradigm consisting of a set of spatial-aware cross-device techniques for supporting users in performing sensemaking collaborative tasks. The paradigm has been conceived and preliminary assessed on the basis of a three-step research study. First, we carried out an elicitation study in which we stimulated users to perform, by means of touch gestures and/or arrangement of devices on a desk, some data composition operations typical of sensemaking collaborative tasks. Then, a formative evaluation allowed us to carry out a preliminary assessment and to refine the composition

paradigm. Finally, a comparative study was performed to evaluate if the SACD paradigm has an impact on the execution of sensemaking collaborative tasks. The study results are encouraging, both in terms of user satisfaction and performance.

Even if the proposed paradigm enables the execution of a wide range of data operations useful in sensemaking scenarios, we are still working on enriching it with further cross-device actions to perform data manipulation (e.g. filtering, ordering, calculating). We are also interested in extending the paradigm out of the physical space of the desk, so that the desk can become, for example, just a space where users establish the connections among their devices and then they freely move in the environment while performing the SACD techniques.

The proposed techniques and the entire approach can also be considered as a solution to support co-located collaborative creation of mashups on users' own mobile devices. This type of mashup has been scarcely investigated. Thanks to the proposed techniques, our work addresses this lack by allowing a group of co-located users to compose mobile app content. Deeply investigating the social aspects of this system is another interesting aspect; for example, determining if there is an influence on the group verbal communications and how the paradigm can be reconsidered accordingly.

Finally, we are aware that the current implementation suffers from the limitations of the adopted HuddleLamp technology, i.e., detecting and tracking failures, the number of the devices on the desk and the need of laying them down on the table. Nevertheless, at the current stage, the main goal was defining a set of composition techniques, to enable sensemaking activities by combining and interacting with spatial-aware mobile devices. However, we are working to improve the technology limitations in order to adopt the system in real contexts. A technological improvement will allow us to perform field studies and longitudinal studies to assess the advantages of the data composition paradigm when adopted in real contexts and to better understand which type of tasks and scenarios can be supported.

References

- Aghaee, S., Nowak, M. and Pautasso, C. (2012). Reusable decision space for mashup tool design. In *Proc. of the Symposium on Engineering Interactive Computing Systems (EICS '12)*. ACM, New York, NY, USA, 211-220.
- Aghaee, S. and Pautasso, C. (2014). End-User Development of Mashups with NaturalMash. *Journal of Visual Languages & Computing* 25(4), 414-432.
- Alt, F., Shirazi, A.S., Kubitzka, T. and Schmidt, A. (2013). Interaction techniques for creating and exchanging content with public displays. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '13)*. ACM, New York, NY, USA, 1709-1718.
- Andrews, C., Endert, A. and North, C. (2010). Space to think: large high-resolution displays for sensemaking. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '10)*. ACM, New York, NY, USA, 55-64.
- Ardito, C., Bottoni, P., Costabile, M.F., Desolda, G., Matera, M. and Picozzi, M. (2014a). Creation and Use of Service-based Distributed Interactive Workspaces. *Journal of Visual Languages & Computing* 25(6), 717-726.
- Ardito, C., Buono, P., Costabile, M.F. and Desolda, G. (2015). Interaction with large displays: a survey. *ACM Computing Survey* 47(3), 1-38.
- Ardito, C., Costabile, M.F., Desolda, G., Lanzilotti, R., Matera, M. and Picozzi, M. (2014b). Visual Composition of Data Sources by End-Users. In *Proc. of the International Conference on Advanced Visual Interfaces (AVI '14)*. ACM, New York, NY, USA, 257-260.
- Bangor, A., Kortum, P. and Miller, J. (2008). The system usability scale (SUS): An empirical evaluation. *International Journal of Human-Computer Interaction* 24(6), 574-594.
- Bangor, A., Kortum, P. and Miller, J. (2009). Determining what individual SUS scores mean: Adding an adjective rating scale. *Journal of Usability Studies* 4(3), 114-123.
- Biehl, J.T. and Bailey, B.P. (2004). ARIS: an interface for application relocation in an interactive space. In *Proc. of the Graphics Interface (GI '04)*. Canadian Human-Computer Communications Society, 107-116.
- Brooke, J. (1996). SUS-A quick and dirty usability scale. *Usability evaluation in industry 189(194)*, 4-7.
- Brooke, J. (2013). SUS: a retrospective. *Journal of Usability Studies* 8(2), 29-40.

- Buur, J. and Soendergaard, A. (2000). Video card game: an augmented environment for user centred design discussions. In *Proc. of the Designing Augmented Reality Environments (DARE 2000)*. ACM, New York, NY, USA, 63-69.
- Cappiello, C., Matera, M., Picozzi, M., Sprega, G., Barbagallo, D. and Francalanci, C. (2011). DashMash: A Mashup Environment for End User Development. In: S. Auer, O. Díaz and G. Papadopoulos (Eds.) *Web Engineering - ICWE 2011*. Lecture Notes in Computer Science, Vol. 6757, Springer Berlin Heidelberg, 152-166.
- Chen, N., Guimbretière, F. and Sellen, A. (2013). Graduate student use of a multi-slate reading system. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '13)*. ACM, New York, NY, US, 1799-1808.
- Chong, M.K. and Gellersen, H. (2011). How users associate wireless devices. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '11)*. ACM, New York, NY, USA, 1909-1918.
- Chung, H., North, C., Self, J.Z., Chu, S. and Quek, F. (2014). VisPorter: facilitating information sharing for collaborative sensemaking on multiple displays. *Personal Ubiquitous Comput.* 18(5), 1169-1186.
- Dachsel, R. and Buchholz, R. (2009). Natural throw and tilt interaction between mobile phones and distant displays. In *Proc. of the CHI '09 Extended Abstracts on Human Factors in Computing Systems (CHI '09 EA)*. ACM, New York, NY, US, 3253-3258.
- Dahlbäck, N., Jönsson, A. and Ahrenberg, L. (1993). Wizard of Oz studies: why and how. In *Proc. of the 1st international conference on Intelligent user interfaces (IUI '93)*. ACM, New York, NY, USA, 193-200.
- Daniel, F. and Matera, M. 2014. *Mashups: Concepts, Models and Architectures*. Springer.
- Dervin, B. 1983. *An overview of sense-making research: Concepts, methods, and results to date*. The Author.
- Desolda, G. (2015). Enhancing Workspace Composition by Exploiting Linked Open Data as a Polymorphic Data Source. In: E. Damiani, J.R. Howlett, C.L. Jain, L. Gallo and G. De Pietro (Eds.) *Intelligent Interactive Multimedia Systems and Services (KES-IIMSS '15)*. Smart Innovation, Systems and Technologies, Vol. 40, Springer International Publishing, Cham, 97-108.
- Desolda, G., Ardito, C. and Matera, M. (2015). EFESTO: A platform for the End-User Development of Interactive Workspaces for Data Exploration. In: F. Daniel and C. Pautasso (Eds.) *Rapid Mashup Development Tools - Rapid Mashup Challenge in ICWE 2015*. Communications in Computer and Information Science, Vol. 591, Springer Verlag, Berlin Heidelberg, 63 - 81.
- Desolda, G. and Jetter, H.-C. (2015). Spatial Awareness in Mobile Devices to Compose Data Source: A Utilization Study. In: P. Díaz, V. Pipek, N. Ardito, C. Jensen, I. Aedo and A. Boden (Eds.) *End-User Development - Is-EUD 2015*. Lecture Notes in Computer Science Vol. 9083, Springer International Publishing, Berlin Heidelberg, 291-294.
- Dix, A., Finlay, J.E., Abowd, G.D. and Beale, R. 2003. *Human-Computer Interaction (3rd Edition)*. Prentice-Hall, Inc.
- Greenberg, S., Marquardt, N., Ballendat, T., Diaz-Marino, R. and Wang, M. (2011). Proxemic interactions: the new ubicomp? *interactions* 18(1), 42-50.
- Hamilton, P. and Wigdor, D.J. (2014). Conductor: enabling and understanding cross-device interaction. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 2773-2782.
- Hardy, R. and Rukzio, E. (2008). Touch & interact: touch-based interaction of mobile phones with displays. In *Proc. of the conference on Human computer interaction with mobile devices and services (MobileHCI '08)*. ACM, New York, NY, USA, 245-254.
- Hart, S.G. and Staveland, L.E. (1988). Development of NASA-TLX (Task Load Index): Results of Empirical and Theoretical Research. *Advances in Psychology* 52(139-183).
- Hinckley, K. (2003a). Bumping objects together as a semantically rich way of forming connections between ubiquitous devices. In: A.K. Dey, A. Schmidt and J.F. McCarthy (Eds.) *Ubicomp*. Lecture Notes in Computer Science, Vol. 2864, Springer.
- Hinckley, K. (2003b). Synchronous gestures for multiple persons and computers. In *Proc. of the ACM symposium on User interface software and technology (UIST '03)*. ACM, New York, NY, USA, 149-158.
- Hinckley, K., Ramos, G., Guimbretiere, F., Baudisch, P. and Smith, M. (2004). Stitching: pen gestures that span multiple displays. In *Proc. of the International conference on Advanced Visual Interfaces (AVI '04)*. ACM, New York, NY, USA, 23-31.
- Husmann, M., Nebeling, M., Pongelli, S. and Norrie, M. (2014). MultiMasher: Providing Architectural Support and Visual Tools for Multi-device Mashups. In: B. Benatallah, A. Bestavros, Y. Manolopoulos, A. Vakali and Y. Zhang (Eds.) *Web Information Systems Engineering*. Lecture Notes in Computer Science, Vol. 8787, Springer International Publishing, 199-214.
- Meteor. Retrieved from <https://www.meteor.com/> Last Access June 25th 2017
- Jetter, H.-C., Gerken, J., Zöllner, M., Reiterer, H. and Milic-Frayling, N. (2011). Materializing the query with facet-streams: a hybrid surface for collaborative search on tabletops. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '11)*. ACM, New York, NY, USA, 3013-3022.
- Jung, J. (2012). ContextGrid: A contextual mashup-based collaborative browsing system. *Information Systems Frontiers* 14(4), 953-961.
- Juristo, N. and Moreno, A.M. 2013. *Basics of software engineering experimentation*. Springer Science & Business Media.
- Kidd, A. (1994). The marks are on the knowledge worker. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '94)*. ACM, New York, NY, USA, 186-191.
- Kirsh, D. (1995). The intelligent use of space. *Artificial Intelligence* 73(1-2), 31-68.
- Ko, A.J., Latoza, T.D. and Burnett, M.M. (2015). A practical guide to controlled experiments of software engineering tools with human participants. *Empirical Software Engineering* 20(1), 110-141.

- Kovachev, D., Renzel, D., Nicolaescu, P. and Klamma, R. (2013). DireWolf - Distributing and Migrating User Interfaces for Widget-Based Web Applications. In: F. Daniel, P. Dolog and Q. Li (Eds.) *Web Engineering*. Lecture Notes in Computer Science, Vol. 7977, Springer Berlin Heidelberg, 99-113.
- Lewis, J. and Sauro, J. (2009). The Factor Structure of the System Usability Scale. In: M. Kurosu Ed. *Human Centered Design - HCD 2009*. Lecture Notes in Computer Science, Vol. 5619, Springer Berlin Heidelberg, 94-103.
- Lucero, A., Holopainen, J. and Jokela, T. (2011). Pass-them-around: collaborative use of mobile phones for photo sharing. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '11)*. ACM, New York, NY, USA, 1787-1796.
- Lucero, A., Keränen, J. and Korhonen, H. (2010). Collaborative use of mobile phones for brainstorming. In *Proc. of the Conference on Human Computer Interaction with Mobile Devices and Services (MobileHCI '10)*. ACM, New York, NY, USA, 337-340.
- Malone, T.W. (1983). How do people organize their desks?: Implications for the design of office information systems. *ACM Transactions on Information Systems (TOIS) 1(1)*, 99-112.
- Marquardt, N., Hinckley, K. and Greenberg, S. (2012). Cross-device interaction via micro-mobility and f-formations. In *Proc. of the ACM symposium on User Interface Software and Technology (UIST '12)*. ACM, New York, NY, USA, 13-22.
- Morris, M.R., Danieleescu, A., Drucker, S., Fisher, D., Lee, B., Schraefel, M.C. and Wobbrock, J.O. (2014). Reducing legacy bias in gesture elicitation studies. *interactions 21(3)*, 40-45.
- Nacenta, M.A., Gutwin, C., Aliakseyeu, D. and Subramanian, S. (2009). There and back again: Cross-display object movement in multi-display environments. *Human-Computer Interaction 24(1-2)*, 170-229.
- Namoun, A., Nestler, T. and Angeli, A.D. (2010). Service Composition for Non-programmers: Prospects, Problems, and Design Recommendations. In *Proc. of the IEEE European Conference on Web Services (ECOWS '10)*. IEEE Computer Society, Washington, DC, USA, 123-130.
- Porcheron, M., Lucero, A. and Fischer, J.E. (2016). Co-curator: designing for mobile ideation in groups. In *Proc. of the International Academic Mindtrek Conference (AcademicMindtrek '16)*. ACM, New York, NY, USA, 226-234.
- Preece, J., Sharp, H. and Rogers, Y. 2015. *Interaction Design-beyond human-computer interaction*. John Wiley & Sons.
- Prensky, M. (2001). Digital natives, digital immigrants part 1. *On the horizon 9(5)*, 1-6.
- Pruett, M. 2007. *Yahoo! pipes*. O'Reilly.
- Rädle, R., Jetter, H.-C., Marquardt, N., Reiterer, H. and Rogers, Y. (2014). HuddleLamp: Spatially-Aware Mobile Displays for Ad-hoc Around-the-Table Collaboration. In *Proc. of the International Conference on Interactive Tabletops and Surfaces (ITS '14)*. ACM, New York, NY, USA, 45-54.
- Rädle, R., Jetter, H.-C., Schreiner, M., Lu, Z., Reiterer, H. and Rogers, Y. (2015). Spatially-aware or Spatially-agnostic?: Elicitation and Evaluation of User-Defined Cross-Device Interactions. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '15)*. ACM, New York, NY, USA, 3913-3922.
- Ravasio, P. and Tschertner, V. (2007). Users' theories of the desktop metaphor, or why we should seek metaphor-free interfaces. *Beyond the desktop metaphor: designing integrated digital work environments*. MIT Press, Cambridge, MA, 265-294.
- Reetz, A., Gutwin, C., Stach, T., Nacenta, M. and Subramanian, S. (2006). Superflick: a natural and efficient technique for long-distance object placement on digital tables. In *Proc. of the Graphics Interface 2006 (GI '06)*. Canadian Information Processing Society, Toronto, Ont., Canada, Canada, 163-170.
- Rekimoto, J. (2004). SyncTap: synchronous user operation for spontaneous network connection. *Personal and Ubiquitous Computing 8(2)*, 126-134.
- Rekimoto, J. and Saitoh, M. (1999). Augmented surfaces: a spatially continuous work space for hybrid computing environments. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '99)*. ACM, New York, NY, USA, 378-385.
- Rosson, M.B. and Carroll, J.M. (2003). Scenario-based design. In: A.J. Julie and S. Andrew (Eds.) *The human-computer interaction handbook*. L. Erlbaum Associates Inc., 1032-1050.
- Seyed, T., Burns, C., Sousa, M.C., Maurer, F. and Tang, A. (2012). Eliciting usable gestures for multi-display environments. In *Proc. of the Conference on Interactive Tabletops and Surfaces (ITS '12)*. ACM, New York, NY, USA, 41-50.
- Voida, S., Podlaseck, M., Kjeldsen, R. and Pinhanez, C. (2005). A study on the manipulation of 2D objects in a projector/camera-based augmented reality environment. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '05)*. ACM, New York, NY, USA, 611-620.
- Wajid, U., Namoun, A. and Mehandjiev, N. (2011). Alternative Representations for End User Composition of Service-Based Systems. In: M.F. Costabile, Y. Dittrich, G. Fischer and A. Piccinno (Eds.) *End-User Development - Is-EUD 2011*. Lecture Notes in Computer Science, Vol. 6654, Springer Berlin Heidelberg, 53-66.
- Weiser, M. (1991). The computer for the 21st century. *Scientific american 265(3)*, 94-104.
- Wobbrock, J.O., Morris, M.R. and Wilson, A.D. (2009). User-defined gestures for surface computing. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '09)*. ACM, New York, NY, USA, 1083-1092.
- Yang, J. and Wigdor, D. (2014). Panelrama: enabling easy specification of cross-device web applications. In *Proc. of the Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 2783-2792.